

CONTRACT CARPET TILES FLATWOVEN QUALITIES

OUTLET LIST
2026-02-12



Space TEXTiles

The flat woven quality Space combines comfort and quality, and is suitable for extra heavy commercial use. The quality is available in 8 different colours, and can be delivered as both broadloom and carpet tiles.

Tiles

100% PA 6.0 Aqualon

Continuous dyed

33 Commercial – heavy

[Technical details – broadloom](#)

[Technical details – tiles](#)

Installation:



Recommended
stocked



Space broadloom - col. 350



T326350 - 60 m²



Space tiles - col. 250



Space tiles - col. 800

NORDIC TEXTILES


– Nordic beauty for all times

Nordic offers a similarly simple design as COM 1000 and is the essence of a timeless carpet with high quality as the key factor. The classic expression sparks associations to cobblestone paving, a classic architectural element in the urban space.

With its Nordic simplicity, based on proud weaving traditions, this carpet is a beautiful choice at all times and for any type of commercial project.

Like most Fletco carpets, Nordic is woven of white, undyed yarn and dyed after weaving, which offers a high degree of flexibility for specific commissions, a wider colour range and the possibility of custom colours.

Available as square carpet tiles



↑

→

→

↑

From stock

↑

↑

↑

↑


Produced to order only


↑

↑

↑

Produced to order only





CARPETS

■ Laser cut Åles 50 x 50 cm*

100% PA 6.6 Ultron*

Manufactured without Bitumen, Latex, PVC and PFAS

Continuous d ed


33 Commercial – heavy

rPET felt backing*
rPET textile or rPET elt backing


Find technical details on www.fletcocarpets.com




T394383 - 56 m²




T394402 - 62 m²




T394502 (Zigzag) - 400 m²




T394502 - 168 m²



T394503 (custom color) - 44 m²



T394652 - 148 m²



T394853 - 72 m²

Classic Weave TEXTiles




Tiles

100% PA 6.6 Ascend Ultron®

Continuous dyed

33 Commercial – heavy

[Technical details](#)



T750400 - 476 m2



T750500 - 244 m²



T750600 - 341 m2



T750650 - 72 m²



T750700 - 122 m²

